



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/412,792	10/05/1999	JAY H. CONNELLY	10559/055001	1113
8791	8791 7590 01/25/2006		EXAMINER	
BLAKELY SOKOLOFF TAYLOR & ZAFMAN 12400 WILSHIRE BOULEVARD			SHELEHEDA, JAMES R	
SEVENTH I			ART UNIT	PAPER NUMBER
LOS ANGELES, CA 90025-1030		2617		

DATE MAILED: 01/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
Office Action Summary		09/412,792	CONNELLY, JAY H.		
		Examiner	Art Unit		
		James Sheleheda	2617		
Period fo	The MAILING DATE of this communication apports.	pears on the cover sheet with the c	orrespondence address		
WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period or reto reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONEI	I.  lely filed  the mailing date of this communication.  O (35 U.S.C. § 133).		
Status					
1)	Responsive to communication(s) filed on 22 N	ovember 2005.			
		This action is non-final.			
3) 🗌	Since this application is in condition for allowar	nce except for formal matters, pro	secution as to the merits is		
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	i3 O.G. 213.		
Dispositi	ion of Claims				
4)⊠	Claim(s) <u>1,3-14 and 18-30</u> is/are pending in the	e application.			
	4a) Of the above claim(s) is/are withdrawn from consideration.				
5) 🗌	Claim(s) is/are allowed.				
6)⊠	Claim(s) <u>1,3-14 and 18-30</u> is/are rejected.				
7)	Claim(s) is/are objected to.				
8)□	Claim(s) are subject to restriction and/o	r election requirement.			
Applicati	ion Papers				
9) 🗌	The specification is objected to by the Examine	r.			
10)	The drawing(s) filed on is/are: a) acc	epted or b) $\square$ objected to by the E	Examiner.		
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).		
	Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).		
11)	The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTO-152.		
Priority ι	under 35 U.S.C. § 119				
	Acknowledgment is made of a claim for foreign ☐ All b)☐ Some * c)☐ None of:	priority under 35 U.S.C. § 119(a)	-(d) or (f).		
	1. Certified copies of the priority document				
	2. Certified copies of the priority document	• •			
	3. Copies of the certified copies of the prior		d in this National Stage		
* 0	application from the International Bureau	` ''	al .		
	See the attached detailed Office action for a list	or the certified copies not receive	u.		
Attachmen	•				
1) Motic 2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da			
3) 🔲 Inforr	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	5) Notice of Informal P	atent Application (PTO-152)		
Pape	r No(s)/Mail Date	6)			

Art Unit: 2617

### **DETAILED ACTION**

Page 2

#### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/22/05 has been entered.

## Response to Arguments

2. Applicant's arguments with respect to claims 1, 3-14 and 18-30 have been considered but are most in view of the new ground(s) of rejection.

## Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1, 3-7, 9-14, 18-20 and 22-29 are rejected under 35 U.S.C. 102(e) as being anticipated by Grooters (6,684,399).

As to claim 1, Grooters discloses a method of broadcasting data (Fig. 2; column 4, lines 59-65), comprising:

sending to a receiver scheduling information (Figs. 3 and 4; column 6, lines 29-33) that includes a scheduled time (Fig. 4; column 6, lines 13-33) and identifies an encoding format (see Fig. 4; column 6, line 58-column 7, line 5), wherein the encoding format comprises a content format used to encode the data prior to broadcasting and apart from encoding the broadcast for transmission through a transport medium (such as .mov, .mmp or .ram format; see Fig. 4; column 6, line 58-column 7, line 5);

wherein said scheduling information is capable of processing by receiver prior to the scheduled time (processing and displaying the guide indicating future content; Fig. 4; column 7, lines 20-67) to select one viewer application from a plurality of viewer applications (to allow the selection of the appropriate player for the media format; column 6, lines 58-column 7, line 1) which are stored on the receiver (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50) and are capable of processing the broadcast data in the encoding format at the scheduled time (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50); and

broadcasting the data at the scheduled time (column 7, lines 33-67).

Art Unit: 2617

As to claim 3, Grooters discloses wherein the sent information identifies a content provider for the data (such as NASA; see Fig. 4).

As to claim 4, Grooters discloses wherein the sent information identifies a channel for broadcasting the data (see Fig. 4); and

the broadcast transmits the data in the identified channel (column 7, lines 38-67).

As to claim 5, Grooters discloses wherein the identified channel comprises a cable channel (Fig. 4).

As to claim 6, Grooters discloses wherein the viewer applications decode broadcasted data (to display multimedia formatted content; column 6, line 58-column 7, line 1 and column 7, lines 38-50).

As to claim 7, Grooters discloses wherein the broadcasting starts at a predetermined time after the sending of the information (Fig. 4).

As to claim 9, Grooters discloses wherein

sending second information about a second scheduled time and content format for a broadcast of new data (see Fig. 4), the second content format being indicative of a new viewer application for processing the new data (utilizing a second multimedia format, such as .mmp or .vid; see Fig. 4); and

Art Unit: 2617

then broadcasting the new data during the second scheduled time (Fig. 4).

As to claim 10, Grooters discloses a method of processing data (Fig. 2; column 4, lines 59-65), comprising:

receiving scheduling information (Figs. 3 and 4; column 6, lines 29-33) providing broadcast times for data broadcasts (Fig. 4; column 6, lines 13-33) and information to identify an encoding format (see Fig. 4; column 6, line 58-column 7, line 5), wherein the encoding format comprises a content format used to encode the data prior to broadcasting and apart from encoding the broadcast for transmission through a transport medium (such as .mov, .mmp or .ram format; see Fig. 4; column 6, line 58-column 7, line 5);

processing the scheduling information prior to the broadcast times (processing and displaying the guide indicating future content; Fig. 4; column 7, lines 20-67) to select a viewer application from a plurality of viewer applications (to allow the selection of the appropriate player for the media format; column 6, lines 58-column 7, line 1) which are stored at a receiver (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50) and are capable of processing the data broadcasts in the encoding format at the broadcast times (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50); and broadcasting the data at the scheduled time (column 7, lines 33-67).

Art Unit: 2617

As to claim 11, Grooters discloses wherein the scheduling information identifes channels scheduled to broadcast the data (Fig. 4).

As to claim 12, Grooters discloses wherein the scheduling information associated with a portion of the broadcasts identifies one of content formats (Fig. 4) and content providers of the associated data (Fig. 4).

As to claim 13, Grooters discloses wherein the processing comprises decoding the received data (decoding and displaying the received program guide; Fig. 4; column 6, line 29-column 7, line 67).

As to claim 14, Grooters discloses a method of processing data (Fig. 2; column 4, lines 59-65), comprising:

receiving scheduling information (Figs. 3 and 4; column 6, lines 29-33) that provides broadcast times for data broadcasts (Fig. 4; column 6, lines 13-33) and information to identify an encoding format (see Fig. 4; column 6, line 58-column 7, line 5), wherein the encoding format comprises a content format used to encode the data prior to broadcasting and apart from encoding the broadcast for transmission through a transport medium (such as .mov, .mmp or .ram format; see Fig. 4; column 6, line 58-column 7, line 5);

Art Unit: 2617

writing the scheduling information to a scheduling table (downloading and storing the guide; column 6, lines 29-33) having entries indexed by scheduled times and channels (Fig. 4);

processing the scheduling information prior to the broadcast times (processing and displaying the guide indicating future content; Fig. 4; column 7, lines 20-67) to select a viewer application from a plurality of viewer applications (to allow the selection of the appropriate player for the media format; column 6, lines 58-column 7, line 1) which are stored at a receiver (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50) and are capable of processing the data broadcasts in the encoding format at the broadcast times (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50); and broadcasting the data at the scheduled time (column 7, lines 33-67).

As to claim 18, Grooters discloses system for receiving data broadcasts (Fig. 2; column 4, lines 59-65), comprising:

an interface to receive scheduling information (Figs. 3 and 4; column 6, lines 29-33) that provides broadcast times for data broadcasts (Fig. 4; column 6, lines 13-33) and information to identify an encoding format (see Fig. 4; column 6, line 58-column 7, line 5), wherein the encoding format comprises a content format used to encode the data prior to broadcasting and apart from encoding the broadcast for transmission through a transport medium (such as .mov, .mmp or .ram format; see Fig. 4; column 6, line 58-column 7, line 5);

a data storage device (column 3, lines 21-50) storing a plurality of viewer applications to decode the broadcasts of data (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50);

a processor coupled to the data storage device (Fig. 1), the processor to process the scheduling information prior to the broadcast times (processing and displaying the guide indicating future content; Fig. 4; column 7, lines 20-67) to select viewer applications from a plurality of viewer applications on said data storage device (to allow the selection of the appropriate player for the media format; column 6, lines 58-column 7, line 1) and capable of processing the data broadcasts in the encoding format for the broadcasts (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50); and

broadcasting the data at the scheduled time (column 7, lines 33-67).

As to claim 19, Grooters discloses wherein the data storage device further stores an executable control application for updating a scheduling table in response to receiving new scheduling information for a broadcast of data (updating the schedule for succeeding time periods; column 7, lines 47-67).

As to claim 20, Grooters discloses wherein the control application selects the viewer application to decode data based on information from the scheduling table (wherein the guide indicates the URL and media format; Fig. 4 and column 6, lines 58-67).

As to claim 22, Grooters discloses a data storage device encoding computer executable instructions for a method of broadcasting data (Fig. 2; column 4, lines 59-65), the instructions to cause a system to:

send scheduling information to a receiver (Figs. 3 and 4; column 6, lines 29-33) about a scheduled time (Fig. 4; column 6, lines 13-33) and information to identify an encoding format (see Fig. 4; column 6, line 58-column 7, line 5), wherein the encoding format comprises a content format used to encode the data prior to broadcasting and apart from encoding the broadcast for transmission through a transport medium (such as .mov, .mmp or .ram format; see Fig. 4; column 6, line 58-column 7, line 5);

wherein said scheduling information is capable of processing by receiver prior to the scheduled time (processing and displaying the guide indicating future content; Fig. 4; column 7, lines 20-67) to select one viewer application from a plurality of viewer applications (to allow the selection of the appropriate player for the media format; column 6, lines 58-column 7, line 1) which are stored on the receiver (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50) and are capable of processing the broadcast data in the encoding format at the scheduled time (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50); and

broadcast the data at the scheduled time (column 7, lines 33-67).

Art Unit: 2617

As to claim 23, Grooters discloses wherein the sent information identifies one of a content provider for the data (such as NASA; see Fig. 4) and a scheduled broadcast channel for the data (Fig. 4).

As to claim 24, Grooters discloses wherein the instructions further cause the system to broadcast the data at a predetermined time after the sending of the information (broadcasting the content at the scheduled time; see Fig. 4; column 7, lines 20-67).

As to claim 25, Grooters discloses wherein

broadcast second information about a second scheduled time and content format for a broadcast of new data (see Fig. 4), the second content format being indicative of a new viewer application for processing the new data (utilizing a second multimedia format, such as .mmp or .vid; see Fig. 4); and then,

broadcasting the new data during the second scheduled time (Fig. 4).

As to claim 26, Grooters discloses a data storage device storing executable instructions (Fig. 2; column 4, lines 59-65), the instructions to cause a computer to:

receive scheduling information (Figs. 3 and 4; column 6, lines 29-33) for encoding formats (see Fig. 4; column 6, line 58-column 7, line 5) and broadcast times of broadcasts of data (Fig. 4; column 6, lines 13-33), wherein the encoding format comprises a content format used to encode the data prior to broadcasting and apart

Art Unit: 2617

from encoding the broadcast for transmission through a transport medium (such as .mov, .mmp or .ram format; see Fig. 4; column 6, line 58-column 7, line 5);

process the scheduling information prior to the broadcast times (processing and displaying the guide indicating future content; Fig. 4; column 7, lines 20-67) to select a viewer application from a plurality of viewer applications (to allow the selection of the appropriate player for the media format; column 6, lines 58-column 7, line 1) which are stored on the receiver (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50) and are capable of processing the broadcast data in the encoding format at the scheduled time (to play the specific format media; column 6, line 58-column 7, line 1 and column 7, lines 38-50);

receive data from one of the broadcasts at the scheduled broadcast time (column 7, lines 33-67); and

process the received data with a viewer application for processing in the encoding format (column 6, line 58-column 7, line 1 and column 7, lines 38-50).

As to claim 27, Grooters discloses wherein the scheduling information identifies channels schedule to broadcast the data (see Fig. 4).

As to claim 28, Grooters discloses wherein the instructions to process further cause the computer to:

decode the received data (decoding and displaying the received program guide; Fig. 4; column 6, line 29-column 7, line 67).

As to claim 29, Grooters discloses the instructions further causing the computer to:

write the scheduling information to a scheduling table (downloading and storing the guide; column 6, lines 29-33) having entries indexed by scheduled times and channels (Fig. 4); and

wherein the instruction causing the computer to process causes the computer to select the viewer application based on data from the scheduling table (wherein the guide indicates the URL and media format; Fig. 4 and column 6, lines 58-67).

## Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 21 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Grooters.

As to claims 21 and 30, while Grooters discloses a system for selecting a viewer application, he fails to specifically disclose that the control application selects the viewer application based on availability data for the viewer application stored in a viewer application selection table.

Official Notice is hereby taken that it is well known in the art that a web browser stores information regarding what plug-ins are installed. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Grooters with the software installation information of the well-known prior art in order for the web browser to know what types of data it can handle and what types of data it cannot. This reads on the claimed availability data for the viewer applications stored in a viewer application selection table.

7. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Grooters, as applied to claim 1, and further in view of the Advanced Television Enhancement Forum Specification (ATVEF) (of record).

As to claim 8, while Grooters discloses broadcasting content in an encoding format, he fails to specifically disclose wherein the content format is an ATVEF format.

The Advanced Television Enhancement Forum Specification (ATVEF) outlines the implementation and use of the ATVEF format for distributing video content in conjunction with other multimedia-rich hypertext data. The ATVEF Specification is evidence that ordinary workers in the art would recognize the benefit of utilizing the ATVEF format to transport and display real-time video content in conjunction with other hypertext multimedia. Therefore, it would have been obvious to ordinary workers in the art to combine the user interactive video transmission and receiving system of Grooters with the ATVEF format of the ATVEF Specification in order to facilitate transporting and embedding video within a hypertext linked multimedia display and vice

Application/Control Number: 09/412,792 Page 14

Art Unit: 2617

versa to insure compatibility with a wide range of devices using a well known standard (ATVEF).

#### Conclusion

8. The following are suggested formats for either a Certificate of Mailing or Certificate of Transmission under 37 CFR 1.8(a). The certification may be included with all correspondence concerning this application or proceeding to establish a date of mailing or transmission under 37 CFR 1.8(a). Proper use of this procedure will result in such communication being considered as timely if the established date is within the required period for reply. The Certificate should be signed by the individual actually depositing or transmitting the correspondence or by an individual who, upon information and belief, expects the correspondence to be mailed or transmitted in the normal course of business by another no later than the date indicated.

# **Certificate of Mailing**

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	
on (Date)	
Typed or printed name of person signing this certificate:	
Signature:	
Registration Number:	
Certificate of Transmission	
I hereby certify that this correspondence is being facsimile transmitted to Trademark Office, Fax No. ( ) on (Date)	o the United States Patent and
Typed or printed name of person signing this certificate:	

Art Unit: 26	51	١7
--------------	----	----

Signature:		
Registration Number:		

Please refer to 37 CFR 1.6(d) and 1.8(a)(2) for filing limitations concerning facsimile transmissions and mailing, respectively.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Sheleheda whose telephone number is (571) 272-7357. The examiner can normally be reached on 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Kelley can be reached on (571) 272-7331. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James Sheleheda Patent Examiner Art Unit 2617